ELSEVIER

Neuroscience Letters 273 (1999) 208–211

Neuroscience Letters

Author Index to Volume 273

Abalo, R., see Goicoechea, C., 175
Aguilar, J., see Giménez, R., 163
Alfaro, M.J., see Goicoechea, C., 175
Allard, M., see Burbaud, P., 195
Andreasen, N., Minthon, L., Vanmechelen, E., Vanderstichele, H., Davidsson, P., Winblad, B., Blennow, K., Cerebrospinal fluid tau and Aβ42 as predictors of development of Alzheimer's disease in patients with mild cognitive impairment, 5
Andrew, C., Pfurtscheller, G., Lack of bilateral coherence of post-movement central beta oscillations in the human electroencephalogram, 89
Angelini, G., see Marinelli, L., 67
Angulo, J., see Ros, I., 129
Arai, H., see Kimura, M., 137
Arai, H., see Okamura, N., 203
Araneda, S., see Ros, I., 129
Asada, T., see Kimura, M., 137

Baas, F., see Hafezparast, M., 49
Backer, M.M., see Schreiber, S., 85
Ball, S., see Hafezparast, M., 49
Bergman, E., see Ming, Y., 187
Bermingham, N., see Hafezparast, M., 49
Bioulac, B., see Burbaud, P., 195
Blennow, K., see Andreasen, N., 5
Blesa, R., see Pastor, P., 151
Bond, A., Ragumoorthy, N., Monn, J.A., Hicks, C.A., Ward, M.A., Lodge, D., O'Neill, M.J., LY379268, a potent and selective Group II metabotropic glutamate receptor agonist, is neuroprotective in gerbil global, but not focal, cerebral ischaemia, 191
Brändle, U., Zenner, H.-P., Ruppersberg, J.P., Gene expression of P2X-receptors in the developing inner ear of the rat, 105
Brough, S., see Carpenter, D., 183
Burbaud, P., Camus, O., Guehl, D., Bioulac, B., Caillé, J.-M., Allard, M., A functional magnetic resonance imaging study of mental subtraction in human subjects, 195
Burghoff, M., see Mackert, B.-M., 159

Cacciaguerra, S., see Spampinato, S., 167
Caillé, J.-M., see Burbaud, P., 195
Cairns, N.J., see Kovács, T., 61
Cammarata, S., see Marinelli, L., 67
Campana, G., see Spampinato, S., 167
Camus, O., see Burbaud, P., 195
Caretta, A., see Mucignat-Caretta, C., 1
Carp, R.I., see Jin, , J.-K., 37
Carpenter, D., Meadows, H.J., Brough, S., Chapman, G., Clarke, C., Coldwell, M., Davis, R., Harrison, D., Meakin, J., McHale, M., Rice, S.Q.J., Tomlinson, W.J., Wood, M., Sanger , G.J., Site-specific splice variation of the human $P2X_4$ receptor, 183
Casida, J.E., see Kamijima, M., 101
Cassagne, C., see Sargueil, F., 29
Castellino, F.J., see Klein, R.C., 171
Cha, J.-H., see Shin, S.-L., 73
Chang, J.-K., see Harrison, T.A., 17
Chapman, G., see Carpenter, D., 183
Chen, C.-T., see Harrison, T.A., 17
Choi, E.-K., see Jin, , J.-K., 37
Choi, J.-K., see Jin, , J.-K., 37
Chun, M.-H., see Shin, S.-L., 73
Chung, J.-W., see Shin, S.-L., 73
Clarke, C., see Carpenter, D., 183
Coldwell, M., see Carpenter, D., 183
Colin, F., see D'Hooge, R., 93
Conti, V., see Mucignat-Caretta, C., 1
Curio, G., see Mackert, B.-M., 159

Date, Y., see Mondal, M.S., 45
Davidsson, P., see Andreasen, N., 5
Davis, R., see Carpenter, D., 183
De Deyn, P.P., see D'Hooge, R., 93
D'Hooge, R., Hartmann, D., Manil, J., Colin, F., Gieselmann, V., De Deyn, P.P., Neuromotor alterations and cerebellar deficits in aged arylsulfatase A-deficient transgenic mice, 93
Duffy, S., see Su, J.Y.C., 109
Dun, N.J., see Harrison, T.A., 17
Dun, N.J., see Williams, C.A., 25
Dun, S.L., see Williams, C.A., 25
Dynan, K.B., see McIlroy, S.P., 140

Ebert, U., Ziemann, U., Altered seizure susceptibility after high-frequency transcranial magnetic stimulation in rats, 155
Edström, E., see Ming, Y., 187
Endo, Y., see Nishimura, J.-I., 125

Falcucci, B., see Spampinato, S., 167
Fisher, E.M.C., see Hafezparast, M., 49
Forssberg, H., Jucaite, A., Hadders-Algra, M., Shared memory representations for programming of lifting movements and associated whole body postural adjustments in humans, 9
Franke, H., see Garcia de Arriba, S., 13
Fu, T.-C., see Lin, T.-B., 133
Fujigasaki, H., see Koyano, S., 117
Fujita, T., see Kimura, M., 137

Garbay, B., see Sargueil, F., 29

PII: S0304-3940(99)00699-0

Garcia de Arriba, S., Franke, H., Pissarek, M., Nieber, K., Illes, P., Neuroprotection by ATP-dependent potassium channels in rat neocortical brain slices during hypoxia, 13
Gauchard, G.C., Jeandel, C., Tessier, A., Perrin, P.P., Beneficial effect of proprioceptive physical activities on balance control in elderly human subjects, 81
Gieselmann, V., see D'Hooge, R., 93
Giménez, R., Soler, S., Aguilar, J., Cytidine diphosphate choline administration activates brain cytidine triphosphate: phosphocholine cytidylyltransferase in aged rats, 163
Goicoechea, C., Ormazábal, M.J., Abalo, R., Alfaro, M.J., Martín, M.I., Calcitonin reverts pertussis toxin blockade of the opioid analgesia in mice, 175
Grasso, R., Ivanenko, Y., Lacquaniti, F., Time course of gaze influences on postural responses to neck proprioceptive and galvanic vestibular stimulation in humans, 121
Guehl, D., see Burbaud, P., 195
Guyot, L.L., see Phillis, J.W., 21

Hadders-Algra, M., see Forssberg, H., 9
Hafezparast, M., Witherden, A., Nicholson, S., Bermingham, N., Mackin, J., ten Asbroek, A., Ball, S., Peters, J., Baas, F., Martin, J.E., Fisher, E.M.C., The kinesin light chain gene: its mapping and exclusion in mouse and human forms of inherited motor neuron degeneration, 49
Hanada, R., see Mondal, M.S., 45
Hanaoka, K., see Uchiyama, K., 97
Harrison, D., see Carpenter, D., 183
Harrison, T.A., Chen, C.-T., Dun, N.J., Chang, J.-K., Hypothalamic orexin A-immunoreactive neurons project to the rat dorsal medulla, 17
Hartmann, D., see D'Hooge, R., 93
Hicks, C.A., see Bond, A., 191
Higuchi, M., see Okamura, N., 203
Hillhouse, E.W., see Tolias, C.M., 57
Hitoshi, S., see Kusunoki, S., 33

Illes, P., see Garcia de Arriba, S., 13
Itoh, M., see Okamura, N., 203
Ivanenko, Y., see Grasso, R., 121
Iwabuchi, K., see Koyano, S., 117
Iwamoto, N., see Kimura, M., 137
Iwatsubo, T., see Okamura, N., 203

Jancsó, G., see Sántha, P., 64
Jeandel, C., see Gauchard, G.C., 81
Jin, , J.-K., Choi, J.-K., Lee, H.-G., Kim, Y.-S., Carp, R.I., Choi, E.-K., Increased expression of CaM kinase II alpha in the brains of scrapie-infected mice, 37
Jucaite, A., see Forssberg, H., 9

Kaida, K.-i., see Kusunoki, S., 33
Kamijima, M., Casida, J.E., Localization of [^{3}H]octylphosphonyl-labeled neuropathy target esterase by chicken nervous tissue autoradiography, 101
Kaminski , H.J., see Kusner, L.L., 143
Kanazawa, I., see Kusunoki, S., 33
Kaplan, G.B., Leite-Morris, K.A., Keith , D.J., Differential effects of treatment with typical and atypical antipsychotic drugs on adenylyl cyclase and G proteins, 147
Kasuya, K., see Kimura, M., 137
Kawashima, K., see Li, P., 53
Kazlauskaite, J., see Tolias, C.M., 57
Keith , D.J., see Kaplan, G.B., 147
Kim, E., see Kusner, L.L., 143
Kim, Y.-S., see Jin, , J.-K., 37
Kimoto-Kinoshita, S. Nishida, S., Tomura, T.T., Age-related change of antioxidant capacities in the cerebral cortex and hippocampus of stroke-prone spontaneously hypertensive rats, 41
Kimura, F., see Nishimura, J.-I., 125
Kimura, M., Asada, T., Uno, M., Machida, N., Kasuya, K., Taniguchi, Y., Fujita, T., Nishiyama, E., Iwamoto, N., Arai, H., Assessment of cerebrospinal fluid levels of serum amyloid P component in patients with Alzheimer's disease, 137
Klaassen, C.D., see Rojas, P., 113
Klein, R.C., Castellino, F.J., Inhibition of MK801 binding in adult rat brain sections by conantokin-G and conantokin-T, 171
Knoll, A., see Sargueil, F., 29
Kovács, T., Cairns, N.J., Lantos, P.L., Alpha-2-macroglobulin intronic polymorphism is not associated with autopsy-confirmed late-onset Alzheimer's disease, 61
Koyano, S., Uchihara, T., Fujigasaki, H., Nakamura, A., Yagishita, S., Iwabuchi, K., Neuronal intranuclear inclusions in spinocerebellar ataxia type 2: triple-labeling immunofluorescent study, 117
Kusner, L.L., Kim, E., Kaminski , H.J., Heme oxygenase-2 expression at rat neuromuscular junctions, 143
Kusunoki, S., Hitoshi, S., Kaida, K.-i., Murayama, S., Kanazawa, I., Degeneration of rabbit sensory neurons induced by passive transfer of anti-GD1b antiserum, 33
Kwok, E.H., see Williams, C.A., 25

Lacquaniti, F., see Grasso, R., 121
Lantos, P.L., see Kovács, T., 61
Lawson, J.T., see McIlroy, S.P., 140
Lee, H.-G., see Jin, , J.-K., 37
Lee, M.-Y., see Shin, S.-L., 73
Leite-Morris, K.A., see Kaplan, G.B., 147
Levine , J.D., see McCarter, G.C., 179
Li, P., Matsunaga, K., Yamamoto, K., Yoshikawa, R., Kawashima, K., Ohizumi, Y., Nardosinone, a novel enhancer of nerve growth factor in neurite outgrowth from PC12D cells, 53
Lin, T.-B., Fu, T.-C., Contralaterally induced dorsal root reflex shares common final pathway with ipsilaterally elicited ones in Wistar rats, 133
Lodge, D., see Bond, A., 191

Machida, N., see Kimura, M., 137
Mackert, B.-M., Wübbeler, G., Burghoff, M., Marx, P., Trahms, L., Curio, G., Non-invasive long-term recordings of cortical 'direct current' (DC–) activity in humans using magnetoencephalography, 159
Mackin, J., see Hafezparast, M., 49
Manil, J., see D'Hooge, R., 93
Marinelli, L., Cammarata, S., Nobbio, L., Schenone, A., Zaccheo, D., Angelini, G., Tabaton, M., Tyrosine kinase A-nerve growth factor receptor is antigenically present in dystrophic neurites from a variety of conditions but not in Alzheimer's disease, 67
Martí, M.J., see Pastor, P., 151
Martín, M.I., see Goicoechea, C., 175
Martin, J.E., see Hafezparast, M., 49
Marx, P., see Mackert, B.-M., 159
Matsui, T., see Okamura, N., 203
Matsukura, S., see Mondal, M.S., 45
Matsunaga, K., see Li, P., 53

McCarter, G.C., Reichling, D.B., Levine , J.D., Mechanical transduction by rat dorsal root ganglion neurons in vitro, 179
McGleenon, B.M., see McIlroy, S.P., 140
McHale, M., see Carpenter, D., 183
McIlroy, S.P., Dynan, K.B., McGleenon, B.M., Lawson, J.T., Passmore, A.P., Cathepsin D gene exon 2 polymorphism and sporadic Alzheimer's disease, 140
McNeil, C.J., see Tolias, C.M., 57
Meadows, H.J., see Carpenter, D., 183
Meakin, J., see Carpenter, D., 183
Ming, Y., Bergman, E., Edström, E., Ulfhake , B., Reciprocal changes in the expression of neurotrophin mRNAs in target tissues and peripheral nerves of aged rats, 187
Minthon, L., see Andreasen, N., 5
Mondal, M.S., Nakazato, M., Date, Y., Murakami, N., Hanada, R., Sakata, T., Matsukura, S., Characterization of orexin-A and orexin-B in the microdissected rat brain nuclei and their contents in two obese rat models, 45
Monn, J.A., see Bond, A., 191
Mucignat-Caretta, C., Conti, V., Caretta, A., cAMP-dependent protein kinase type RI is found in clusters in the rat detergent-insoluble neuronal fraction, 1
Müller, W., see Richter, M., 200
Muñoz, E., see Pastor, P., 151
Murakami, N., see Mondal, M.S., 45
Murari , G., see Spampinato, S., 167
Murayama, S., see Kusunoki, S., 33
Murphy, T.H., see Su, J.Y.C., 109

Nakamura, A., see Koyano, S., 117
Nakazato, M., see Mondal, M.S., 45
Nicholson, S., see Hafezparast, M., 49
Nieber, K., see Garcia de Arriba, S., 13
Nishida, S., see Kimoto-Kinoshita, S. 41
Nishimura, J.-I., Endo, Y., Kimura, F., A long-term stress exposure impairs maze learning performance in rats, 125
Nishiyama, E., see Kimura, M., 137
Nobbio, L., see Marinelli, L., 67

Obach, V., see Pastor, P., 151
Ohizumi, Y., see Li, P., 53
Okamura, N., Arai, H., Higuchi, M., Tashiro, M., Matsui, T., Itoh, M., Iwatsubo, T., Tomita, T., Sasaki, H., Cerebrospinal fluid levels of amyloid β-peptide$_{1-42}$, but not tau have positive correlation with brain glucose metabolism in humans, 203
Oliva, R., see Pastor, P., 151
O'Neill, M.J., see Bond, A., 191
O'Regan, M.H., see Phillis, J.W., 21
Ormazábal, M.J., see Goicoechea, C., 175
Otsuka, R., see Uchiyama, K., 97

Passmore, A.P., see McIlroy, S.P., 140
Pastor, P., Muñoz, E., Obach, V., Martí, M.J., Blesa, R., Oliva, R., Tolosa , E., Dopamine receptor D2 intronic polymorphism in patients with Parkinson's disease, 151
Perrin, P.P., see Gauchard, G.C., 81
Peters, J., see Hafezparast, M., 49
Pfurtscheller, G., see Andrew, C., 89
Phillis, J.W., Song, D., Guyot, L.L., O'Regan, M.H., Failure of kynurenic acid to inhibit amino acid release from the ischemic rat cerebral cortex, 21
Pick, C.G., see Schreiber, S., 85
Pierau, F.-K., see Sántha, P., 64
Pissarek, M., see Garcia de Arriba, S., 13

Que, M., Schiene, K., Witte, O.W., Zilles, K., Widespread up-regulation of *N*-methyl-D-aspartate receptors after focal photothrombotic lesion in rat brain, 77

Ragumoorthy, N., see Bond, A., 191
Reichling, D.B., see McCarter, G.C., 179
Rice, S.Q.J., see Carpenter, D., 183
Richter, M., Schilling, T., Müller, W., Muscarinic control of intracortical connections to layer II in rat entorhinal cortex slice, 200
Rojas, P., Klaassen, C.D., Metallothionein-I and -II knock-out mice are not more sensitive than control mice to 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine neurotoxicity, 113
Ros, I., Angulo, J., Araneda, S., Kin protein expression: laminar specificity during rat cerebral cortex development, 129
Ruppersberg, J.P., see Brändle, U., 105

Sakata, T., see Mondal, M.S., 45
Salles, J., see Sargueil, F., 29
Sanger , G.J., see Carpenter, D., 183
Sántha, P., Pierau, F.-K., Jancsó, G., Inhibitory modulation of cutaneous vascular responses by endogenous galanin in the pigeon, 64
Sargueil, F., Knoll, A., Salles, J., Garbay, B., Cassagne, C., High metabolism and subsequent elongation of 3-hydroxyeicosanoyl-CoA in very-long- chain fatty acid deficient PNS of Trembler mice, 29
Sasaki, H., see Okamura, N., 203
Schenone, A., see Marinelli, L., 67
Schiene, K., see Que, M., 77
Schilling, T., see Richter, M., 200
Schreiber, S., Backer, M.M., Pick, C.G., The antinociceptive effect of venlafaxine in mice is mediated through opioid and adrenergic mechanisms, 85
Shin, S.-L., Cha, J.-H., Chun, M.-H., Chung, J.-W., Lee, M.-Y., Expression of osteopontin mRNA in the adult rat brain, 73
Soler, S., see Giménez, R., 163
Song, D., see Phillis, J.W., 21
Spampinato, S., Falcucci, B., Cacciaguerra, S., Campana, G., Murari , G., Characterization of a putative calcitonin receptor in IMR 32 human neuroblastoma cells, 167
Su, J.Y.C., Duffy, S., Murphy, T.H., Reduction of H_2O_2-evoked, intracellular calcium increases in the rat N18-RE-105 neuronal cell line by pretreatment with an electrophilic antioxidant inducer, 109

Tabaton, M., see Marinelli, L., 67
Taniguchi, Y., see Kimura, M., 137
Tashiro, M., see Okamura, N., 203
ten Asbroek, A., see Hafezparast, M., 49
Tessier, A., see Gauchard, G.C., 81
Tolias, C.M., McNeil, C.J., Kazlauskaite, J., Hillhouse, E.W., Astrocytes rather than neurones mediate interleukin-1β dependent nitric oxide and superoxide radical release in primary hypothalamic rat cell cultures, 57
Tolosa , E., see Pastor, P., 151
Tomita, T., see Okamura, N., 203
Tomlinson, W.J., see Carpenter, D., 183
Tomura, T.T., see Kimoto-Kinoshita, S. 41
Trahms, L., see Mackert, B.-M., 159

Uchihara, T., see Koyano, S., 117
Uchiyama, K., Otsuka, R., Hanaoka, K., cHox11L2, a Hox11 related gene, is expressed in the peripheral nervous system and subpopulation of the spinal cord during chick development, 97
Ulfhake , B., see Ming, Y., 187
Uno, M., see Kimura, M., 137

Vanderstichele, H., see Andreasen, N., 5
Vanmechelen, E., see Andreasen, N., 5

Ward, M.A., see Bond, A., 191
Williams, C.A., Wu, S.Y., Dun, S.L., Kwok, E.H., Dun, N.J., Release of endomorphin-2 like substances from the rat spinal cord, 25
Winblad, B., see Andreasen, N., 5
Witherden, A., see Hafezparast, M., 49
Witte, O.W., see Que, M., 77
Wood, M., see Carpenter, D., 183
Wu, S.Y., see Williams, C.A., 25
Wübbeler, G., see Mackert, B.-M., 159

Yagishita, S., see Koyano, S., 117
Yamamoto, K., see Li, P., 53
Yoshikawa, R., see Li, P., 53

Zaccheo, D., see Marinelli, L., 67
Zenner, H.-P., see Brändle, U., 105
Ziemann, U., see Ebert, U., 155
Zilles, K., see Que, M., 77